

# Flange Nut B43 M10 SS316L

Reference 1149564



Activity  
Product family  
Brand  
Range

Cable support systems  
Mesh trays  
Defem  
Defem

## Base

|                |                       |
|----------------|-----------------------|
| Activity       | Cable support systems |
| Product family | Mesh trays            |
| Brand          | Defem                 |
| Range          | Defem                 |
| GTIN           | 7332227015646         |

## Commercial and Web

|                                    |                                                                   |
|------------------------------------|-------------------------------------------------------------------|
| Short description                  | Flange nut B43/M10 AISI316L                                       |
| Medium description                 | Defem - flange nut B43/M10 - stainless steel<br>AISI316L - 50 pcs |
| Material                           | Stainless steel                                                   |
| Material type or surface treatment | AISI316L                                                          |
| Corrosion class                    | CX                                                                |

## ETIM (EC003863-Nut)

|                            |                 |
|----------------------------|-----------------|
| Model (EF000010)           | Nut             |
| With flange (EF005729)     | Yes             |
| Weldable (EF011770)        | No              |
| Self (EF006319)            | No              |
| With nylon ring (EF006024) | No              |
| Screwing system (EF000013) | Outside hexagon |
| Material (EF002169)        | Steel           |

|                                   |                                |
|-----------------------------------|--------------------------------|
| Material quality (EF001257)       | Stainless steel 316 L (1.4404) |
| Active ingredient (EF013622)      | *                              |
| Surface protection (EF000139)     | *                              |
| Thread size (metric) (EF003563)   | 10                             |
| Thread size (imperial) (EF003715) | *                              |
| Wrench width (EF000177)           | 15 mm                          |
| Pitch thread (EF003712)           | * mm                           |
| Thread per inch (EF012132)        | *                              |
| Thread type (EF001758)            | Metric                         |
| Left (EF022707)                   | No                             |
| Height (EF000040)                 | 15 mm                          |
| Outer diameter (EF000015)         | * mm                           |
| Colour (EF000007)                 | *                              |
| RAL (EF000116)                    | *                              |
| Halogen free (EF000025)           | Yes                            |

## Logistic

|                   |          |
|-------------------|----------|
| Pack 1 type       | Bag      |
| Quantity pack 1   | 50       |
| Weight pack 1     | 0.6 kg   |
| Length pack 1     | 150 mm   |
| Width pack 1      | 100 mm   |
| Height pack 1     | 250 mm   |
| Pack 2 type       | Carton   |
| Quantity pack 2   | 250      |
| Weight pack 2     | 3.1 kg   |
| Length pack 2     | 225 mm   |
| Width pack 2      | 105 mm   |
| Height pack 2     | 150 mm   |
| Pack 4 type       | Pallet   |
| Quantity pack 4   | 52500    |
| Weight pack 4     | 673 kg   |
| Length pack 4     | 1200 mm  |
| Width pack 4      | 800 mm   |
| Height pack 4     | 1050 mm  |
| Customs code      | 73089098 |
| Net weight        | 0.56 kg  |
| Country of origin | SE       |

## Certification

|            |          |
|------------|----------|
| ETIM class | EC003863 |
|------------|----------|

## Status product

|                |                |
|----------------|----------------|
| Product status | Commercialized |
|----------------|----------------|

Environmental

|                 |               |
|-----------------|---------------|
| GWP Total A1-A3 | 3.2704 kgCO2e |
|-----------------|---------------|

---